
**APPENDIX B: PLANTS AND VERTEBRATES KNOWN OR
THOUGHT TO OCCUR AT SUNFLOWER**

Checklist of vascular plants of Johnson County and the Sunflower Army Ammunition Plant. Habitat codes are: P = prairie; F = forest; W = wetlands/ streams; A = lakes, ponds (aquatic); and D = disturbed sites. Codes in the "Sunflower" column are collection numbers for vouchers taken on SFAAP. Prefixes are: F = Craig C. Freeman and B = Ralph E. Brooks.

Family Species	Common Name	Habitat	Sunflower
Acanthaceae			
<i>Justicia americana</i> (L.) M. Vahl	water willow	W	F5468
<i>Ruellia humilis</i> Nutt.	fringeleaf ruellia	P	F5104
<i>Ruellia strepsis</i> L.	limestone ruellia	F	F5135
Aceraceae			
<i>Acer negundo</i> L. var. <i>negundo</i>	common boxelder	F	
<i>Acer negundo</i> L. var. <i>violetaceum</i> (Kirchner) Jaeger	violet boxelder	F	F4901
<i>Acer saccharinum</i> L.	silver maple	F	F4902
<i>Acer saccharinum</i> Marshall	sugar maple	F	F5235
Adiantaceae			
<i>Adiantum pedatum</i> L. subsp. <i>pedatum</i>	northern maidenhair fern	F	
<i>Argyrochosma dealbata</i> (Pursh) Windham	powdery cloak fern	F	F4964
<i>Pellaea glabella</i> Mett. ex Kuhn var. <i>glabella</i>	smooth cliff-brake	F	
<i>Pellaea x atropurpurea</i> (L.) Link	purple cliff-brake	F	F4972
Agavaceae			
<i>Yucca glauca</i> Haw.	limp soapweed	P,D	F5132
Alismataceae			
<i>Alisma plantago-aquatica</i> L. var. <i>parviflorum</i> (Pursh) Farw.	smallflower water plantain	W	
<i>Echinodorus rostratus</i> (Nutt.) Engelm.	erect burhead	W	
<i>Sagittaria brevirostra</i> Mackenzie & Bush	shortbeak arrowhead	W	F5490
<i>Sagittaria latifolia</i> Willd.	common arrowhead	W	
Amaranthaceae			
<i>Amaranthus blitoides</i> S. Watson	prostrate pigweed	D	
<i>Amaranthus hybridus</i> L.	slender pigweed	D	
<i>Amaranthus palmeri</i> S. Watson	Palmer's pigweed	D	
<i>Amaranthus retroflexus</i> L.	rough pigweed	D	
<i>Amaranthus rudis</i> J. Sauer	water hemp	D	F5717
<i>Amaranthus spinosus</i> L.	spiny pigweed	D	
Anacardiaceae			
<i>Rhus aromatica</i> Aiton subsp. <i>aromatica</i>	aromatic sumac	P,F	
<i>Rhus aromatica</i> Aiton subsp. <i>serotina</i> (E. Greene) R. E. Brooks	late aromatic sumac	P,F	F4922
<i>Rhus copallina</i> L.	dwarf sumac	P,F	F5125
<i>Rhus glabra</i> L.	smooth sumac	P,F	F4921, F5124
<i>Toxicodendron radicans</i> (L.) Kuntze subsp. <i>negundo</i>	common poison ivy	P,F	F5726
Annonaceae			
<i>Asimina triloba</i> (L.) Dunal	pawpaw	F	F4851, F5477
Apiaceae			
<i>Chaerophyllum procumbens</i> (L.) Crantz	spreading chervil	F,D	
<i>Chaerophyllum tainturieri</i> Hook.	erect chervil	P,D	F4916

<u>Family</u>	<u>Species</u>	<u>Common Name</u>	<u>Habitat</u>	<u>Sunflower</u>
	<i>Cryptotaenia canadensis</i> (L.) DC.	honesty	F	F5155
	<i>Conium maculatum</i> L.	poison hemlock	F,D	
	<i>Daucus carota</i> L.	wild carrot	P,D	F5216
	<i>Eryngium yuccifolium</i> Michaux	button snakeroot	P	F5081
	<i>Lomatium nudicaule</i> (Nutt.) J. Coulter & Rose <i>daucifolium</i> (Nutt.) ex Torrey & A. Gray Cronq.	carrotleaf lomatium	P	
	<i>Osmorhiza claytonii</i> (Michaux) C.B. Clarke	hairy sweet cicely	F	
	<i>Osmorhiza longistylis</i> (Torrey) DC.	anise root	F	F4849
	<i>Pastinaca sativa</i> L.	wild parsnip	D	
	<i>Polytaenia nuttallii</i> DC.	prairie parsley	P	F4881
	<i>Sanicula canadensis</i> L.	Canada sanicle	F	F5112
	<i>Sanicula odorata</i> (Raf.) Poirier & Philippe	cluster sanicle	F	F4909, F4975
	<i>Taenidia integerrima</i> (L.) Drude	yellow pimpernel	F	
	<i>Thapsium barbinode</i> (Michaux) Nutt.	meadow parsnip	F	
	<i>Tonella arvensis</i> (Hudson) Link	hedge parsley	D	F5114
	<i>Zizia aurea</i> (L.) Koch	golden zizia	P,F	F4897
Apocynaceae				
	<i>Apocynum cannabinum</i> L.	hemp dogbane		
Araceae				
	<i>Arisaema dracontium</i> (L.) Schott	green dragon	F	- F5495
	<i>Arisaema triphyllum</i> (L.) Schott subsp. <i>triphyllum</i>	jack-in-the-pulpit	F	F4852
Aristolochiaceae				
	<i>Asarum canadense</i> L.	wild ginger	F	
Asclepiadaceae				
	<i>Asclepias hirtella</i> (Pursh) Woodson	prairie milkweed	P,W	F5188
	<i>Asclepias incarnata</i> L.	swamp milkweed	W	F5469
	<i>Asclepias meadii</i> Torrey ex A. Gray	Mead's milkweed	P	
	<i>Asclepias purpurascens</i> L.	purple milkweed	P,F	F4957
	<i>Asclepias speciosa</i> A. Gray	narrowleaf milkweed	P,D	
	<i>Asclepias syriaca</i> L.	common milkweed	P,D	- F5232
	<i>Asclepias tuberosa</i> L. var. <i>interior</i> (Woodson) Shinn.	butterfly milkweed	P	F5075
	<i>Asclepias verticillata</i> L.	whorled milkweed	P,D	F5076
	<i>Asclepias viridiflora</i> Raf.	green-flowered milkweed	P	F5117
	<i>Asclepias viridis</i> Walter	green milkweed	P	F4928, F4958
	<i>Cynanchum laeve</i> (Michaux) Pers.	climbing milkweed	F,D	F5226
Aspleniaceae				
	<i>Asplenium platyneuron</i> (L.) Britton, Sterns & Pogg.	ebony spleenwort	F	F4963
	<i>Asplenium rhizophyllum</i> L.	walking fern	F	
Asteraceae				
	<i>Achillea millefolium</i> L. subsp. <i>lanceolata</i> (Nutt.) Piper	western yarrow	P,D	F4919
	<i>Ambrosia artemisiifolia</i> L.	common ragweed	D	F5667
	<i>Ambrosia bidentata</i> Michaux	lanceleaf ragweed	D	F5169
	<i>Ambrosia psilostachya</i> DC.	western ragweed	P,D	
	<i>Ambrosia trifida</i> L.	giant ragweed	F,D	F5690
	<i>Amaranthus dracunculus</i> (DC.) Nutt.	annual broomweed	D	F5160
	<i>Antennaria neglecta</i> E. Greene	field pussytoes	P,F,D	F4878
	<i>Antennaria parviflora</i> Fern. subsp. <i>fallax</i> (E. Greene) R. Bayer & Stebb.	plantainleaf pussytoes	F	
	<i>Artemisia ludoviciana</i> Nutt. var. <i>ludoviciana</i>	Louisiana sagewort	P,D	
	<i>Artemisia ludoviciana</i> Nutt. var. <i>mexicana</i> (Willd.) Fern.	Mexican sagewort	P,D	
	<i>Aster drummondii</i> Lindley in Hook. subsp. <i>drummondii</i>	Drummond's aster	F	F5667
	<i>Aster ericoides</i> L. subsp. <i>ericoides</i> var. <i>ericoides</i>	heath aster	P	

Family Species	Common Name	Habitat	Sunflower
<i>Aster laevis</i> L.	smooth blue aster	P	
<i>Aster lanceolatus</i> Willd. subsp. <i>lanceolatus</i>	common panicled aster	P,W	
<i>Aster novae-angliae</i> L.	New England aster	P,W	
<i>Aster oblongifolius</i> Nutt. var. <i>oblongifolius</i>	aromatic aster	P	
<i>Aster ontarioensis</i> Wieg.	Ontario aster	F,W	
<i>Aster odontothecum</i> Riddell	azure aster	P	
<i>Aster praealtus</i> Poirier var. <i>praealtus</i>	common willow-leaved aster	P,D	F5656
<i>Bidens aristosa</i> (Michaux) Britton var. <i>retusa</i> (Sherff) Wunderlin	tickseed beggartick	W	F5654
<i>Bidens bipinnata</i> L.	Spanish needles	F,D	F5692
<i>Bidens cernua</i> L.	nodding beggartick	W	F5724
<i>Bidens connata</i> Muhlenb. ex Willd. var. <i>petiolata</i> (Nutt.) Farw.	purplestem beggartick	W	
<i>Bidens frondosa</i> L.	devil's beggartick	W	F5491, F5693
<i>Bidens vulgaris</i> E. Greene	tall beggartick	W	
<i>Brickellia eupatorioides</i> (L.) Shinn. var. <i>corymbulosa</i> (Torrey & A. Gray) Shinn.	corymbulose false boneset	P,D	
<i>Brickellia eupatorioides</i> (L.) Shinn. var. <i>texana</i> (Shinn.) Shinn.	Texas false boneset	P,D	F5166
<i>Cacalia atriplicifolia</i> L.	pale Indian plantain	F	-
<i>Cacalia plantaginea</i> (Raf.) Shinn.	tuberous Indian plantain	P	F5088, F5686
<i>Carduus nutans</i> L. subsp. <i>leptophyllus</i> (Petrovici) Stoy. & Stefanoff	musk thistle	D	F5214
<i>Chrysanthemum leucanthemum</i> L.	ox-eye daisy	P,D	F4917
<i>Cichorium intybus</i> L.	common chicory	D	
<i>Cirsium altissimum</i> (L.) Sprengel	tall thistle	F	F5471
<i>Cirsium undulatum</i> (Nutt.) Sprengel	wavyleaf thistle	P	
<i>Cirsium vulgare</i> (Savi) Ten.	bull thistle	D	F5178
<i>Conyza canadensis</i> (L.) Cronq.	Canada horseweed	D	
<i>Conyza ramosissima</i> Cronq.	lawn horseweed	D	
<i>Coreopsis grandiflora</i> Hogg ex Sweat	bigflower coreopsis	P	
<i>Coreopsis palmata</i> Nutt.	finger coreopsis	P	-
<i>Coreopsis tinctoria</i> Nutt.	plains coreopsis	W,D	F5215
<i>Oxybaphus papposa</i> (Vahl.) Hitchc.	foxtail dogweed	P,D	F5168
<i>Echinacea pallida</i> (Nutt.) Nutt.	pale purple coneflower	P	F5080
<i>Eclipta prostrata</i> (L.) L.	verba de tajo	W	F5223
<i>Erechtites hieracifolia</i> (L.) Raf. ex DC.	American burnweed	F,W	F5709
<i>Erigeron annuus</i> (L.) Pers.	annual fleabane	P,D	F5111
<i>Erigeron philadelphicus</i> L.	Philadelphia fleabane	P,W	
<i>Erigeron strigosus</i> Muhlenb. ex Willd.	daisy fleabane	P	F5715
<i>Eupatorium altissimum</i> L.	tall joe-pye-weed	P	F5872
<i>Eupatorium purpureum</i> L. var. <i>holzingeri</i> (Rydb.) E. Lamont	Holzinger's joe-pye-weed	F	F5459
<i>Eupatorium rugosum</i> Houtt.	white snakeroot	F	F5707
<i>Euthamia gymnosperma</i> E. Greene	viscid euthamia	P,D	F5068
<i>Gnaphalium obtusifolium</i> L.	fragrant cudweed	P,D	F5062
<i>Helianthus annuus</i> L.	common sunflower	D	F5713
<i>Helianthus grosseserratus</i> Martens	sawtooth sunflower	P,D	F5699
<i>Helianthus hirsutus</i> Raf.	hairy sunflower	F	F5248
<i>Helianthus maximiliani</i> Schrad.	Maximilian's sunflower	P,D	F5653
<i>Helianthus mollis</i> Lam.	asny sunflower	P	
<i>Helianthus pauciflorus</i> Nutt. var. <i>pauciflorus</i>	stiff sunflower	P	F5251, F5700
<i>Helianthus salicifolius</i> A. Dietr.	willowleaf sunflower	P	
<i>Helianthus tuberosus</i> L.	Jerusalem artichoke	P,F,W	F5714
<i>Helianthus x kellermanii</i> Long	Kellerman's sunflower	P,D	
<i>Helianthus x laeotiflorus</i> Pers.		P,D	

Family Species	Common Name	Habitat	Sunflower
<i>Heuchera helianthoides</i> (L.) Sweet var. <i>scabra</i> (Dun.) Fern.	rough ox-eye	P	
<i>Heterotheca latifolia</i> Buckley var. <i>macgregoris</i> Wagenkn.	camphorweed	D	F5718
<i>Hieracium longipilum</i> Torrey	longbeard hawkweed	P	
<i>Iva annua</i> L.	annual sumpweed	D	F5461
<i>Lactuca canadensis</i> L.	Canada lettuce	P,D	F5659
<i>Lactuca floridana</i> (L.) Gaertn.	Florida lettuce	F	F5474
<i>Lactuca saligna</i> L.	willowleaf lettuce	D	F5182
<i>Lactuca serriola</i> L.	prickly lettuce	D	F5159
<i>Liatris esculenta</i> Michaux	rough gayfeather	P	
<i>Liatris pycnostachya</i> Michaux	thickspike gayfeather	P	F5079
<i>Liatris squarrosa</i> (L.) Michaux var. <i>hirsuta</i> (Rydb.) Gaiser	hairy gayfeather	P	
<i>Microseris cuspidata</i> (Pursh) Sch. Bip.	wavyleaf agoseris	P	
<i>Pyrrocephalus carolinianus</i> (Walt.) DC.	Carolina false dandelion	P,D	F5233
<i>Ranibea columbaria</i> (Nutt.) Woot. & Standley	yellow prairie coneflower	P	F5163
<i>Ranibea pinnata</i> (Vahl.) Barnh.	grayhead prairie coneflower	P	F5083, F5187
<i>Rudbeckia hirta</i> L. var. <i>pulcherrima</i> Farw.	black-eyed Susan	P,D	F5094
<i>Rudbeckia laciniata</i> L.	cutleaf coneflower	F	F5486
<i>Rudbeckia triloba</i> L.	brown-eyed Susan	F,W	F5093
<i>Senecio obovatus</i> Muhl. ex Willd.	roundleaf groundsel	F	F4857
<i>Senecio plattensis</i> Nutt.	plains groundsel	P	
<i>Silphium integrifolium</i> Michaux var. <i>deamii</i> Perry	Deam's rosinweed	P,D	
<i>Silphium integrifolium</i> Michaux var. <i>integritfolium</i>	wholeleaf rosinweed	P,D	F5204
<i>Silphium laciniatum</i> L.	compass plant	P	F5660
<i>Silphium perfoliatum</i> L.	cup plant	F,W	F5149
<i>Solidago canadensis</i> L. var. <i>canadensis</i>	Canada goldenrod	P,D	
<i>Solidago canadensis</i> L. var. <i>scabra</i> (Muhl.) Torrey & A. Gray	rough Canada goldenrod	P,D	F5680
<i>Solidago gigantea</i> Ait. var. <i>serotina</i> (O. Ktze.) Cronq.	giant goldenrod	F	F5488, F5722
<i>Solidago rigida</i> L. var. <i>humilis</i> Porter	stiff goldenrod	P	
<i>Solidago rigida</i> L. var. <i>rigida</i>	stiff goldenrod	P	F5674
<i>Solidago ulmifolia</i> Muhlenb. var. <i>ulmifolia</i>	elmleaf goldenrod	F	
<i>Sonchus asper</i> (L.) Hill	prickly sowthistle	D	
<i>Taraxacum erythrospermum</i> Andrz. ex Besser	red-seeded dandelion	D	
<i>Taraxacum officinale</i> Webber ex Wiggers	common dandelion	D	
<i>Thelesperma megapotamicum</i> (Sprng.) O. Ktze.	Missouri River greenthread	P	
<i>Tragopogon dubius</i> Scop.	western salsify	P,D	F5234
<i>Verbesina alternifolia</i> (L.) Britton	wingstem crownbeard	F	F5462, F5895
<i>Vernonia baldwinii</i> Torrey subsp. <i>interior</i> (Small) Faust.	inland ironweed	P,D	F5167, F5458
<i>Xanthium strumarium</i> L.	common cocklebur	D	F5665
 Balsaminaceae			
<i>Impatiens capensis</i> Meerb.	spotted touch-me-not	F,W	F5479
 Berberidaceae			
<i>Podophyllum peltatum</i> L.	may-apple	F	F4850
 Betulaceae			
<i>Corylus americana</i> Walt.	American hazelnut	F	F4748
<i>Ostrya virginiana</i> (P. Mill.) K. Koch	hop-hornbeam	F	
 Bignoniaceae			
<i>Camassia radicans</i> (L.) Seem. ex Bureau	trumpet creeper	F,D	F5221
<i>Catalpa speciosa</i> (Warder ex Barney) Engelm.	catalpa	F,D	F5238
 Boraginaceae			
<i>Hackelia virginiana</i> (L.) I.M. Johnston	Virginia stickseed	F	F5106
<i>Lithospermum arvense</i> L.	corn gromwell	D	F4898
<i>Lithospermum canescens</i> (Michaux) Lehm.	hoary gromwell	P	

<u>Family</u> <u>Species</u>	<u>Common Name</u>	<u>Habitat</u>	<u>Sunflower</u>
<i>Lithospermum incisum</i> Lehm.	narrowleaf gromwell	P	
<i>Myosotis verna</i> Nutt.	Virginia forget-me-not	P,D	F4868
<i>Onosmodium mollis</i> Michaux var. <i>occidentale</i> (MacM.) M. Johnst.	western marbleseed	P	F5162
 Brassicaceae			
<i>Athalia petiolata</i> (Bieb.) Cavara & Grande	garlic mustard	F	F4863
<i>Arabis canadensis</i> L.	Canada rockcress	F	F4864, F4962
<i>Arabis shortii</i> (Fern.) Gl.	Short's rockcress	F	F4944
<i>Arabis virginica</i> (L.) Poiret	Virginia rockcress	P,D	F4946
<i>Barbarea vulgaris</i> R. Br.	winter cress	D	
<i>Brassica kaber</i> (DC.) Wheeler var. <i>pinnatifida</i> (Stokes) Wheeler		D	
<i>Camelina microcarpa</i> Andrz.	small-seeded false flax	D	F4929
<i>Capsella bursa-pastoris</i> (L.) Medic.	shepherd's purse	D	F4906
<i>Cardamine concatenata</i> (Michaux) O. Schwarz	toothwort	F	
<i>Cardamine parviflora</i> L. var. <i>arenicola</i> (Britton) Schultz	small-flowered bittercress	P	
<i>Chorispora tenella</i> (Pall.) DC.	blue mustard	D	
<i>Descurainia pinnata</i> (Walt.) Britton <i>brachycarpa</i> (Richards) Fern.	tansy mustard	D	F4970
<i>Draba brachycarpa</i> Nutt.	shortpod draba	P,D	F4869
<i>Draba reptans</i> (Lam.) Fern. var. <i>micrantha</i> (Nutt.) Fern.	white whitlowwort	P,D	F4888
<i>Draba reptans</i> (Lam.) Fern. var. <i>reptans</i>	white whitlowwort	P,D	F4865
<i>Erysimum repandum</i> L.	bushy wallflower	D	
<i>Hesperis matronalis</i> L.	dame's rocket	D	
<i>Lepidium campestre</i> (L.) R. Br.	field peppergrass	D	
<i>Lepidium densiflorum</i> Schrad.	peppergrass	D	F4920
<i>Lepidium virginicum</i> L.	Virginia peppergrass	D	F4875
<i>Nasturtium officinale</i> R. Br.	watercress	W	
<i>Rorippa sessiliflora</i> (Nutt.) Hitchc.	stalkless yellowcress	W	
<i>Thlaspi arvense</i> L.	pennycress	D	F4948
<i>Thlaspi perfoliatum</i> L.	thorowort pennycress	D	
 Cabombaceae			
<i>Brasenia schreberi</i> Gmel.	water-shield	A	
<i>Cabomba caroliniana</i> A. Gray	Carolina water-shield	A	
 Cactaceae			
<i>Opuntia macrorhiza</i> Engelm.	bigroot prickly pear	P	F5148
 Caesalpiniaceae			
<i>Cercis canadensis</i> L.	redbud	F	
<i>Chamaecrista fasciculata</i> (Michaux) E. Greene	showy partridge pea	P,D	F5072
<i>Gleditsia triacanthos</i> L.	honey locust	F,D	F4892
<i>Gymnocladus dioica</i> (L.) Koch	Kentucky coffee-tree	F,D	F5238, F5483
<i>Senna marilandica</i> (L.) Link	Maryland senna	P,D	F5250, F5887
 Campanulaceae			
<i>Campanula americana</i> L.	American bellflower	F	F5092
<i>Lobelia siphilitica</i> L.	blue lobelia	W	F5720
<i>Lobelia spicata</i> Lam.	palespike lobelia	P	
<i>Triodanis leptocarpa</i> (Nutt.) Nieuw.		P	
<i>Triodanis perfoliata</i> (L.) Nieuw.		P	
 Cannabaceae			
<i>Cannabis sativa</i> L.	domestic hemp	D	
<i>Humulus lupulus</i> L. var. <i>pubescens</i> E. Small	hairy hops	F	

Family Species	Common Name	Habitat	Sunflower
Caprifoliaceae			
<i>Lonicera japonica</i> Thunb.	Japanese honeysuckle	F,D	F5231
<i>Sambucus canadensis</i> L.	common elderberry	P,F	
<i>Symphoricarpos orbiculatus</i> Moench.	buckbrush	P,F,D	F5177
<i>Trostium perfoliatum</i> L. var. <i>perfoliatum</i>	common horsegentian	F	F4966
<i>Viburnum prunifolium</i> L.	blackhaw	F	
Caryophyllaceae			
<i>Arenaria serpyllifolia</i> L.	thyme-leaved sandwort	D	F4866
<i>Cerastium fontanum</i> Baug. subsp. <i>triviale</i> (Link) Jalas	mouse-ear chickweed	P,D	F4873
<i>Dianthus armeria</i> L.	Deptford pink	P,D	F4950
<i>Holosteum umbellatum</i> L.	jagged chickweed	D	F4889
<i>Saponaria officinalis</i> L.	bounding bet	D	
<i>Silene antirrhina</i> L.	sleepy catchfly	P,D	F4945, F5143
<i>Silene stellata</i> (L.) Ait. f.	starry campion	F	F5107
<i>Stellaria media</i> (L.) Cyr.	chickweed	D	F4907
Celastraceae			
<i>Celastrus scandens</i> L.	American bittersweet	P,F	F4955
<i>Euonymus atropurpureus</i> Jacq.	wahoo	F	F4971, F5254
Ceratophyllaceae			
<i>Ceratophyllum demersum</i> L.	common hornwort	A	
Chenopodiaceae			
<i>Chenopodium ambrosioides</i> L.	Mexican tea	D	
<i>Chenopodium missouriense</i> Aellen	Missouri goosefoot	D	
<i>Chenopodium simplex</i> (Torrey) Raf.	maple-leaved goosefoot	F	
<i>Cycloloma atriplicifolium</i> (Sprangeli) J. Coulter	winged pigweed	P	
<i>Kochia scoparia</i> (L.) Schradier	summer cypress	D	
Clusiaceae			
<i>Hypericum perforatum</i> L.	common St. John's-wort	P,D	F5122
<i>Hypericum punctatum</i> Lam.	spotted St. John's-wort	P,D	F5189
<i>Hypericum sphaerocarpum</i> Michaux	round-fruit St. John's-wort	P,D	F5091
Commelinaceae			
<i>Commelinia communis</i> L.	common dayflower	P,W,D	F5147
<i>Commelinia erecta</i> L. var. <i>erecta</i>	erect dayflower	P,W	F5721
<i>Tradescantia bracteata</i> Small	bracted spiderwort	P	
<i>Tradescantia ohionensis</i> Raf.	Ohio spiderwort	P	
Convolvulaceae			
<i>Calystegia silvatica</i> (Kit.) Griseb. subsp. <i>fraternifolia</i> (Mack. & Bush) Brummitt	hedge bindweed	P,F,D	
<i>Calystegia sepium</i> (L.) R. Br. var. <i>angulata</i> Brummitt	hedge bindweed	P,D	F5128
<i>Convolvulus arvensis</i> L.	field bindweed	D	F5158
<i>Ipomoea hederacea</i> Jacq.	ivy-leaf morning-glory	D	F5480
<i>Ipomoea lacunosa</i> L.	white morning-glory	D	F5481
<i>Ipomoea pes-caprae</i> (L.) G. Meyer	bigroot morning-glory	P,F,D	
Cornaceae			
<i>Cornus drummondii</i> C. Meyer	roughleaf dogwood	P,F,D	F5134, F5466
Crassulaceae			
<i>Penthorum sedoides</i> L.	ditch stonecrop	W	F5725
Cucurbitaceae			
<i>Sicyos angulatus</i> L.	bur cucumber	F	

Family Species	Common Name	Habitat	Sunflower
Cupressaceae			
<i>Juniperus virginiana</i> L.	red cedar	P,F,D	F5161
Cyperaceae			
<i>Bulbostylis capillaris</i> L. Clarke	hair-sedge bulbstyle	P,W	F5193
<i>Carex aggregata</i> Mackenzie	glomerate sedge	W	F4976
<i>Carex amphibola</i> Steud. var. <i>turgida</i> Fern	narrowleaf sedge	W	
<i>Carex annexans</i> (E. Bicknell) E. Bicknell var. <i>annexans</i>	yellowfruit sedge	P,W	
<i>Carex blanda</i> Dewey	woodland sedge	P,W	
<i>Carex bushii</i> Mackenzie	Bush's sedge	P,W	F4925
<i>Carex davisii</i> Schwein. & Torrey	Davis' sedge	P,W	F4879, F4911
<i>Carex frankii</i> Kunth	Frank's sedge	W	F5141
<i>Carex gravida</i> Bailey var. <i>gravida</i>	heavy sedge	W	
<i>Carex gravida</i> Bailey var. <i>lunelliana</i> Mack. & Herm.	Lunell's sedge	W	F4930
<i>Carex hoodii</i> Bailey subsp. <i>helophila</i> Mack. & Cross			
<i>Carex jamesii</i> Schwein.	James' sedge	P	F4910
<i>Carex lanuginosa</i> Michaux	woolly sedge	W	
<i>Carex lupulina</i> Muhlens. ex Willd.	hop sedge	P,W	F5460
<i>Carex meadii</i> Dewey	Mead's sedge	P	F4927
<i>Carex molesta</i> Mackenzie		P,P,W	
<i>Carex munienbergii</i> Schkuhr ex Willd. var. <i>enervis</i> Boott		P	
<i>Carex normans</i> Mackenzie	normal sedge	W	
<i>Carex oligocarpa</i> Schkuhr ex Willd.		P,W	
<i>Carex shortiana</i> Dewey	Short's sedge	W	
<i>Carex vulpinoidea</i> Michaux	fox sedge	P,W	F5070
<i>Cyperus acuminatus</i> Torrey & Gray	tapeleaf sedge	P,W	F5194
<i>Cyperus bipartitus</i> Torrey	brook flatsedge	W	F5217
<i>Cyperus echinatus</i> (L.) Alph. Wood	globe flatsedge	P,W	F5684
<i>Cyperus erythrorhizos</i> Muhlens.	redroot flatsedge		
<i>Cyperus esculentus</i> L.	yellow nutsedge	W,D	F5064
<i>Cyperus lupulinus</i> (Spreng.) Marcks		P,W	F5197
<i>Cyperus lupulinus</i> (Spreng.) Marcks x <i>C. schweinitzii</i>			
<i>Cyperus odoratus</i> L.	slender flatsedge	W,D	
<i>Cyperus pseudovegetus</i> Steudel	falsegreen flatsedge	P,W	F5138
<i>Cyperus squarrosum</i> L.	awned flatsedge	W	F5192
<i>Cyperus strigosus</i> L.	false nutsedge	W,D	F5676
<i>Eleocharis compressa</i> Sulliv.	flatstem spikesedge	W	F5198
<i>Eleocharis obtusa</i> (Willd.) Schult. var. <i>obtusa</i>	blunt spikesedge	W	
<i>Fimbristylis annua</i> (All.) Roemer & Schultes	annual fimbriстиlyis	P,W	F5195
<i>Filixia simplex</i> M. Vahl var. <i>aristulata</i> (Torrey) Kral		P,W	F5061
<i>Schoenoplectus tabernaemontani</i> (Gmelin) Palla subsp. <i>vandus</i> (M. Vahl) S.G. Sm.	softstem bulrush	W	
<i>Scirpus atrocirens</i> Willd.	green bulrush	W	F5082
<i>Scirpus georgianus</i> Harper	Georgia bulrush	W	
<i>Scirpus pendulus</i> Muhlenb.	rusty bulrush	W	
<i>Scleria triglomerata</i> Michaux	whip razorsedge	P	
Dipsacaceae			
<i>Dipsacus laciniatus</i> L.	cutleaf teasel	D	
Dryopteridaceae			
<i>Cystopteris protrusa</i> (Weath.) Blasdell	lowland bladder fern	F	
<i>Cystopteris tennesseensis</i> Shaver	Tennessee bladder fern	F	
<i>Glechoma hederacea</i> (Sprengel) Torrey subsp. <i>odorata</i>	blunt-lobed cliff fern	F	
Ebenaceae			
<i>Diospyros virginiana</i> L.	persimmon	F,D	F5126

Family Species	Common Name	Habitat	Sunflower
Equisetaceae			
<i>Equisetum arvense</i> L.	field horsetail	P,W	
<i>Equisetum hyemale</i> L. var. <i>affine</i> (Engelm.) A.A. Eaton	common scouring rush	P,W	F5130
Euphorbiaceae			
<i>Acalypha ostryifolia</i> Riddell	rough-pod copperleaf	D	F5225
<i>Acalypha rhomboidea</i> Raf.	rhombic copperleaf	P,F,D	F5148
<i>Acalypha virginica</i> L.	Virginia copperleaf	P,D	F5100
<i>Croton capitatus</i> Michaux var. <i>capitatus</i>	woolly croton	P,D	F5119
<i>Croton glandulosus</i> L. var. <i>septentrionalis</i> Muell. Arg	tropic croton	P,D	F5203
<i>Croton monanthogynus</i> Michaux	one-seeded croton	P,D	F5099
<i>Euphorbia corollata</i> L.	flowering spurge	P,D	F5074
<i>Euphorbia dentata</i> Michaux	toothed spurge	P,D	F5133
<i>Euphorbia maculata</i> L.	spotted spurge	D	F5209
<i>Euphorbia marginata</i> Pursh	snow-on-the-mountain	P,D	
<i>Euphorbia nutans</i> Lag.	ebony	D	F5170, F5457
<i>Euphorbia prostrata</i> Ait.	prostrate spurge	D	F5090
<i>Euphorbia serpens</i> Humb., Bonpl. & Kunth	round-leaved spurge	D	F5242
<i>Euphorbia strictospora</i> Engelm.	mat spurge	D	F5164
<i>Traagia betonicifolia</i> Nutt.	nettleleaf noseburn	P,D	F5123
Fabaceae			
<i>Amorpha canescens</i> Pursh	lead plant	P	
<i>Amorpha fruticosa</i> L.	false indigo	P,W	
<i>Astragalus cicer</i> Nutt. var. <i>cicer</i>	common ground plum	P	
<i>Baptisia australis</i> (L.) R. Br. var. <i>minor</i> (Lehm.) Fern.	blue false indigo	P	
<i>Baptisia bracteata</i> Muhl. ex Ell. var. <i>glabrescens</i> (Larsen) Isley	plains wild indigo	P	F5121
<i>Coronilla varia</i> L.	crown vetch	D	
<i>Crotalaria sagittalis</i> L.	rattlebox	P,F	
<i>Dalea candida</i> Michx. ex Willd. var. <i>candida</i>	white prairie clover	P	F5140
<i>Dalea purpurea</i> Vent. var. <i>purpurea</i>	purple prairie clover	P	F5218
<i>Desmodium glutinosum</i> (Muhlend. ex Willd.) Alph. Wood	large-flowered tickclover	F	F5097
<i>Desmodium illinoense</i> A. Gray	Illinois tickclover	P,D	F5087
<i>Desmodium paniculatum</i> (L.) DC. var. <i>dillenii</i> (Darl.) Isley	panicked tickclover	P,F	F5716
<i>Desmodium sessilifolium</i> (Torrey) Torrey & A. Gray	sessile-leaf tickclover	P	F5679
<i>Glycyrrhiza lepidota</i> (Nutt.) Pursh	wild licorice	P	
<i>Lespedeza capitata</i> Michaux	round-head lespedeza	P	
<i>Lespedeza cuneata</i> (Dumont) G. Don	sericea lespedeza	O	F5705
<i>Lespedeza stipulacea</i> Maxim.	Korean lespedeza	O	F5664
<i>Lespedeza striata</i> (Thunb.) H. & A.	Japanese lespedeza	O	F5465
<i>Lespedeza violacea</i> (L.) Pers.	prairie lespedeza	P,D	
<i>Lotus corniculatus</i> L.	bird's-foot trefoil	O	
<i>Medicago lupulina</i> L.	black medick	O	F4885
<i>Medicago sativa</i> L. subsp. <i>sativa</i>	alfalfa	O	F5118
<i>Melilotus albus</i> Medikus	white sweet clover	O	F5118
<i>Melilotus officinalis</i> (L.) Pall.	yellow sweet clover	O	F4951
<i>Pedicularis esculentum</i> (Pursh) Rydb.	prairie turnip	P	
<i>Psoralea tenuiflorum</i> (Pursh) Rydb.	many-flowered scurfpea	P	
<i>Robinia pseudoacacia</i> L.	black locust	F,D	
<i>Strophostyles helvola</i> (L.) Ell.	wild bean	P,F	F5712
<i>Trifolium campestre</i> Schreb.	low hop clover	P,D	F4953
<i>Trifolium hybridum</i> L. subsp. <i>elegans</i> (Savil.) Asch. & Graebn.	Alsike clover	D	
<i>Trifolium pratense</i> L.	red clover	D	F4895
<i>Trifolium repens</i> L.	white clover	D	F4896
<i>Vicia villosa</i> Roth var. <i>villosa</i>	hairy vetch	P	